```
Burnary PHP Burnary SQL injection
```

```
□□□ Administrator
□□, 07 □□ 2014 09:51 -
```

□□:http://devco.re/blog/2014/06/19/client-ip-detection/


```
D PHP DDD
```

```
□□, 07 □□ 2014 09:51 -
else
{
$myip
$ SERVER
'REMOTE_ADDR'
];
}
echo
$myip
?>
☐ ASP.NET ☐☐☐
  Dim ClientIP As String = Request.ServerVariables("HTTP X FORWARDED FOR") IF Cli
entIP
String
Empty
Then
ClientIP
Request
ServerVariables
"REMOTE ADDR"
End
IF
```

Bulletion PHP Bulletion


□□□ Administrator
□□, 07 □□ 2014 09:51 -

□ □ HTTP Header



□□□ Administrator

□□, 07 □□ 2014 09:51 -



nnnnnnnnnn IP nnnnnnnnnn header 00000000000



____**Proxy** ___

0000 00000 **Proxy**0

- REMOTE ADDR: 0000 IP
- HTTP VIA: 🛛
- HTTP_X_FORWARDED_FOR: []

Transparent Proxy

- REMOTE ADDR: 00000000 IP
- HTTP VIA: 00000 IP
- HTTP_X_FORWARDED_FOR: 00000 IP00000000000000000 IP

Anonymous Proxy

- REMOTE ADDR: 00000000 IP
- HTTP VIA: 0000 IP
- HTTP X FORWARDED FOR: 00000 IP00000000000000000000 IP

High Anonymity Proxy (Elite Proxy)

DDD PHP DD IPDDD SQL injection

□□□ Administrator
□□, 07 □□ 2014 09:51 -

- REMOTE_ADDR: 0000 IP
- HTTP VIA: []



000000 Γ 000000 127.0.0.1 J 00000000000 $\underline{\text{Discuz!}}$ J 000000 IP



皆為 露天市集團際資訊股份有限公司版權所有,轉載必究 * Copyright® PChome eBay Co., Ltd.

DDD PHP DDIPDDD SQL injection

□□□ Administrator
□□, 07 □□ 2014 09:51 -

Toooooooooood