

: <http://minchuanwang.blogspot.tw/2009/03/tomcat-post-get.html>

Resin Java Web Application Tomcat get / post
get / post

Resin Character Encoding
Tomcat

TOMCAT ISO-8859-1

:

1. JSP

<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">

~ big5 or UTF-8 or...

2.

form method=POST or GET Tomcat ISO-8859-1

<%=request.getParameter("firstname")%>

(UTF-8, ISO-8859-1 ..)

<%=new String(request.getParameter("firstname").getBytes("ISO-8859-1"),
"UTF-8")%> (UTF-8)

3. server.xml URIEncoding GET

tomcat ./conf/server.xml GET

Tomcat get ISO-8859-1 (get url
parameter)

URIEncoding, Post

<Connector port="8080" protocol="HTTP/1.1"
connectionTimeout="20000"
redirectPort="8443" URIEncoding="UTF-8"/>

URIEncoding: This specifies the character encoding used to decode the URI bytes, after %xx decoding the URL. If not specified, ISO-8859-1 will be used.

P.S. GET Method, URIEncoding

4. request.setCharacterEncoding GET / POST

[] Tomcat Post / Get 亂碼問題 (亂碼問題)

亂碼 Administrator

亂碼, 12 月 2014 16:34 - 亂碼 亂碼, 12 月 2014 16:38

亂碼亂碼亂碼亂碼亂碼亂碼亂碼 Tomcat request亂碼亂碼亂碼亂碼亂碼亂碼亂碼 ISO-8859-1亂碼亂碼 ~

<%request.setCharacterEncoding("UTF-8");%>

javax.servlet.ServletRequest.setCharacterEncoding(string env)

Overrides the name of the character encoding used in the body of this request. This method must be called prior to reading request parameters or reading input using `getReader()`. Otherwise, it has no effect.

5. 亂碼 filter 亂碼 GET / POST 亂碼亂碼

亂碼亂碼亂碼亂碼亂碼 web.xml 亂碼 亂碼 filter 亂碼亂碼亂碼亂碼亂碼

亂碼 filter 亂碼亂碼亂碼亂碼亂碼亂碼亂碼

亂碼亂碼:

a. 亂碼 Tomcat 亂碼亂碼亂碼亂碼亂碼亂碼 Encoding Filter, 亂碼亂碼:

.Tomcat 6.0webappsexamplesWEB-INFclassesfiltersSetCharacterEncodingFilter.class

b. 亂碼亂碼亂碼 class 亂碼 copy 亂碼 web application 亂碼

.WEB-INFclassesfilter 亂碼亂碼 web.xml 亂碼 filter 亂碼亂碼

亂碼亂碼亂碼 url pattern 亂碼亂碼亂碼 apply亂碼亂碼亂碼 (亂碼 encoding亂碼 parameter亂碼亂碼)亂碼亂碼亂碼亂碼 ? (亂碼亂碼 亂碼亂碼亂碼亂碼亂碼亂碼 setCharacterEncoding 亂碼 亂碼 apply亂碼亂碼亂碼)

```
<filter>
<filter-name>Set-Character-Encoding</filter-name>
<filter-class>org.apache.catalina.filters.SetCharacterEncodingFilter</filter-class>
<init-param>
<param-name>encoding</param-name>
<param-value>UTF-8</param-value>
</init-param>
</filter>
</web-app>
<!--
<filter-name>Set-Character-Encoding</filter-name>
<filter-class>org.apache.catalina.filters
-->
</filter-->
```

亂碼 ~ 亂碼 Resin Porting 亂碼 Tomcat 亂碼亂碼亂碼亂碼 filter 亂碼亂碼 亂碼亂碼 ~ 亂碼亂碼 亂碼亂碼亂碼亂碼亂碼亂碼亂碼 ~

亂碼亂碼:

- [FAQ/CharacterEncoding](#)
- <http://jim.blogsome.com/2005/05/27/jsp-chinese-character-solution/>
- <http://www.javaworld.com.tw/confluence/pages/viewpage.action?pageId=752>